

Aimpoint®



PRICELIST 2014

ALL PRICES IN EURO INC. 15 %VAT

L/E TACTICAL GEAR Sàrl

ASK FOR A SPECIAL LAW ENFORCEMENT AND POLICE DISCOUNT !

Mail to: **info@ tactical.lu**
Phone: **+352 26 393 494**



PROFESSIONAL MARKET • PROFESSIONAL MARKET • PROFESSIONAL MARKET • PROFESSIONAL MARKET



Art. No.	PRO Name/Description	IRP EUR/Unit
12841	PRO 2MOA CET Technology NVD compatible Includes QRP2, spacer, standard front flip up cover and transparent rear lens cover Complete package ready to be installed No changes can be made in the configuration	450





Art. No.	CompM3/CompML3 series Name/Description	IRP EUR/Unit
11408	CompM3 2MOA ACET Technology NVD compatible without ring	532
11403	CompM3 4MOA ACET Technology NVD compatible without ring	532
11416	CompML3 2MOA ACET Technology without ring	495
11405	CompML3 4MOA ACET Technology without ring	495






CompM4 series		IRP	
Art. No.	Name/Description	EUR/Unit	
11972	CompM4 2MOA Complete ACET Technology NVD compatible Switch is placed in clock direction 2 Including ARD filter, rubber lens cover, standard spacer and QRP 2 mount for Picatinny rail and spacer	738	
12309	CompM4 2MOA - sight without mount and accessories ACET Technology NVD compatible Including rubber lens cover Switch is placed in clock direction 2	580	









CompM4s series		IRP	
Art. No.	Name/Description	EUR/Unit	
12172	CompM4s 2MOA Complete ACET Technology NVD compatible Switch is placed in clock direction 5 Including ARD filter, rubber lens cover, standard spacer and QRP 2 mount for Picatinny rail and spacer.	738	
12308	CompM4s 2MOA - sight without mount and accessories ACET Technology NVD compatible Including rubber lens cover Switch is placed in clock direction 5	580	









Art. No.	Micro series Name/Description	IRP EUR/Unit	
11830	Micro T-1 4MOA ACET Technology NVD compatible Including mounting solution for Weaver/Picatinny and rubber lenscover	647	
200054	Micro T-1 4MOA - sight without mount and accessories ACET Technology NVD compatible Including rubber lens cover	556	
12417	Micro T-1 2MOA ACET Technology NVD compatible Including mounting solution for Weaver/Picatinny and rubber lenscover	647	
200055	Micro T-1 2MOA - sight without mount and accessories ACET Technology NVD compatible Including rubber lens cover	556	







Service	IRP EUR/Unit
<p>Standard price for repair service on all Aimpoint sights, excluding Electronic, Mark III, Aimpoint 1000 and Aimpoint 2000. Freight charges not included.</p> <p>All repair and guarantee sights should be addressed to Aimpoint Sweden AB Företagscentrum 982 38 Gällivare Sweden</p>	89
<p>WARRANTY</p> <p><i>Aimpoint guarantees this product to be free from original manufacturer defects in material and/or workmanship under normal use for a period of two years for professional or frequent competition use and ten years for personal use from the date of purchase.</i></p> <p><i>Personal use shall mean: use of the sight in a way that implies less exposure than professional use. Professional or frequent competition use shall mean: daily or highly frequent use of the sight in professional activities (military or law enforcement) or under conditions that could be compared to as professional.</i></p> <p><i>The warranty is valid provided that the sight has not been misused, disassembled or tampered with in any way.</i></p> <p><i>Any attempt to disassemble or repair the product will void the warranty.</i></p> <p><i>This warranty shall not apply to rubber and thermoplastic components.</i></p> <p><i>This warranty is limited to the original purchaser of the product/s and is not transferable to any third party, unless otherwise follows from mandatory law.</i></p> <p><i>Any warranty claim must be accompanied by a copy of the original receipt showing date of purchase and shall be notified as soon as can be reasonable required.</i></p> <p><i>In case the product is defective in original manufacturer material and/or workmanship, Aimpoint undertakes either to repair, replace or compensate the purchaser its purchase price for such defective product.</i></p>	






Art. No.	Rings Name/Description	IRP EUR/Unit	
12243	SRP-L Ring, 30mm, wide, low, Picatinny Comp-series - 1X Optical centre over top of Picatinny rail 21 mm Incl. Allen key	80	
12244	SRW-L Ring, 30mm, wide, low, Weaver Comp-series - 1X Optical centre over top of Picatinny rail 21 mm Incl. Allen key	80	
12195	QRP2 Quick release Picatinny (MIL-STD 1913) mount Fits Comp M4 and Ring Base and Top Returns to zero after remounting. Incl. screws, Allen key and thread lock (not illustrated).	72	
12923	QRP3 Quick release mount for Picatinny base for the Comp sight models. Returns to zero after remounting. (Spacer is necessary for M4 flat top rifles and carbines.) Optical centre over top of Picatinny rail 30 mm Incl. Allen key	103	
11758	QRW2 Quick Release Weaver mount Fits CompM4 and Ring Base & Top Returns to zero after remounting. Incl. screws, Allen key and thread lock (not illustrated).	78	




Art. No.	Rings cont. Name/Description	IRP EUR/Unit
12197	Mount TNP Torsion Nut Picatinny (MIL-STD 1913) mount Fits CompM4 and Ring Base and Top Incl. screws, Allen key and thread lock (not illustrated).	89
12198	Mount LRP Lever Picatinny (MIL Std 1913) mount Fits CompM4 and ring base and Top Incl. screws, Allen key and thread lock (not illustrated) Returns to zero after remounting.	91
12905	Mount LRP Micro Mount LRP for AP Micro T-1 Lever Picatinny (MIL Std 1913) mount Fits AP Micro T-1 Incl. screws, Allen key and thread lock (not illustrated) Returns to zero after remounting.	92
12215	Mount, Micro Dovetail 11 mm Dovetail Mount Fits Micro Incl. screws and Allen key	91
12437	Mount, Micro Glock Direct interface to the slide of the Glock pistols. Incl. Screws, Allen key, Micro tool and thread lock (not illustrated)	75
12184	Mount, Micro LRP kit Complete kit to convert Micro contains bar locking, shaft, lever and two springs	34








Art. No.	Rings cont. Name/Description	IRP EUR/Unit	
12227	Spacer - Distans Optical centre over top of rail QR + spacer 39 mm Incl. screws and Allen key	18	
12192	Spacer - Standard Incl. screws, Allen key and thread lock (not illustrated)	34	
12193	Spacer - Extension Incl. screws, Allen key and thread lock (not illustrated)	42	
12357	Spacer Micro 30 mm Spacer for Micro sights, optical centre will be 30 mm on top of rail Incl. 4 screws for torx, tool and thread lock (not illustrated)	44	
12358	Spacer Micro 39 mm Spacer for Micro sights, optical centre will be 39 mm on top of rail Incl. 4 screws for torx, tool and thread lock (not illustrated)	44	
12194	Base and Top Ring 30 mm ring Incl. screws and Allen key Fits QRP2, QRW2, LRP and TNP mount	33	
200152	Mount adapter 30 mm Tube ring for scopes	82	
200153	Mount adapter 34 mm Tube ring for scopes	82	

Art. No.	3XMag Name/Description	IRP EUR/Unit	
11324	3XMag 3X magnification without ring.	678	
12234	TwistMount Quick Release ring and base for 3XMag. Fits on Picatinny rail.	205	
12238	TwistMount ring Separate ring for TwistMount. 30 mm optical height	137	
12236	TwistMount base Separate base for TwistMount. Fits on Picatinny rail.	69	
12328	3X Mag with Twist Mount 3X magnification with TwistMount base, 30 mm optical height ring. Incl. Allen key	887	 
12071	3X Mag/ with TwistMount and spacer 3X magnification with TwistMount base and spacer 39 mm optical height spacer with ring Incl. Allen key	904	 



Art. No.	CEU Name/Description	IRP EUR/Unit	
12156	CEU	326	
12203	Ring CEU high rise Ring for CEU. Fits on TwistMount base 39 mm height of optical axis.	68	
12202	Ring CEU low rise Ring for CEU. Fits on TwistMount base 30 mm height of optical axis.	68	
12387	CEU with high (39 mm) top ring TwistMount	393	
12388	CEU with low (30 mm) top ring TwistMount	393	
12148 spare	Eye cup for CEU	17	




Art. No.	Laser Aiming Device Name/Description	IRP EUR/Unit	
12401	LPI low intensity IR, Laser Aiming Device 840 nm Output 0,005 mW and 0,1 mW <i>Delivered without switch and cable</i> Export license required	1 385	
12402	LPI high intensity IR, Laser Aiming Device 850 nm Output 0,15 mW and 3,0 mW <i>Delivered without switch and cable</i> Export license required	1 385	
12403	LPI special IR, Laser Aiming Device Possible maximum deviation 20x between position 1 and 2 <i>Delivered without switch and cable</i> Export license required	1 455	
10927	Mount LPI-S Mount for standard ring Incl. screws and Allen key	121	
10928	Mount LPI-Q Mount for Quick release ring Incl. screws and Allen key	121	
12303	Mount LPI-P Universal mount for Picatinny rail Incl. screws and Allen key	260	
10930	Mount LPI-A Mount for ARMS ring Incl. screws and Allen key	121	








Art. No.	Laser Aiming Device cont. Name/Description	IRP EUR/Unit	
12922	LPI Mount Fits CompM4h (BT-211774)	299	
12600 spare	TB-I Switch + cable, 250 mm	237	
10931 spare	TB-I Switch + cable, 400 mm	237	
12601 spare	TB-I Switch + cable, 740 mm	237	
11939 spare	Protective Cap for LPI output eye	37	
12808	Blue filter for LPI Cuts harmful infrared laser beams to a more eye safe level. (Might have to be alternated depending on the output of the IR laser.) Often used for training purposes to protect the users.	247	







Art. No.	MPS3 Name/Description	IRP EUR/Unit	
11704	MPS3 Night Vision compatible No mount Export license required	1 755	
12628	MPS3 with MGMount .50 Sight and ballistic compensation base Export license required	3108	
11925	MGMount .50 for MPS3 Ballistic compensation base Incl. screws and Allen key	1 353	
11460	BT Picatinny QD Mount for Browning M2 (BT-21376)	977	
200101	Lens cover, Flip-up, Front Transparent For MPS3	69	
200102	Lens cover, Flip-up, Rear Transparent For MPS3 For mounting on MPS3 sights produced before 2014, an adapter is needed.	69	
13626	Adapter for mounting rear flip-up lens cover on MPS3 sights	37	
200168	Complete kit including rear flip up lens cover and adapter.	106	




Art. No.	Mounts Name/Description	IRP EUR/Unit
10266	B&T Mount, MP5 HKLPA (BT-10266) Fits CompM2 and CompM3 with standard ring, as well as Micro T-1	216
12687	B&T Mount, HK MP5 Low Mount Low profile Co-Witn. (with iron sights visible through the Aimpoint® sight) For HK, MP5 (BT-21222) Will be discontinued, and replaced by 10266	216
10603	B&T Mount, HKUNI MP5, HK33, HK53, G3 (BT-21262)	229
10773	B&T Mount, HKMR mid range MP5, HK53 Suitable for use with protective masks Iron sights visible through mount (BT-21256)	216






Art. No.	Filter Name/Description	IRP EUR/Unit	
12239	Filter, ARD Killflash filter All CET and ACET models	41	
12216	Filter, Polarization Polarization filter for reduction of sun reflexes Transparent filter Fits rear of all Comp models	50	

Art. No.	Batteries Name/Description	IRP EUR/Unit	
10903	Battery, Duracell Lithium 1/3N, 3V 10-pack For AP 3000, 5000, 7000, 9000, Comp, CompC3 XD, CET and ACET models	75	
12242	Battery, Duracell Plus AA/LR6 4-pack For CompM4	9	
12211	Battery, Duracell Lithium 2032, 3V 2-pack For Micro models	11	

Art. No.	Spare parts/Accessories CET and ACET models Name/Description	IRP EUR/Unit	
12226	Outer rubber cover for CompM3 and CompML3 Dark Earth Brown Replacable	33	
12225	Outer rubber cover for CompM3 and CompML3 Black Replacable	33	
12462	Lens cover, Flip-up, Front with ARD filter	71	
200122	Lens cover, Flip-up, Front with ARD filter Transparent All CET and ACET models	71	
12223	Lens cover, Flip-up, Front All CET and ACET models	19	
12224	Lens cover, Flip-up, Rear All 30mm sights	19	
12241	Lens cover, Flip-up, Front Transparent All CET and ACET models	23	
12240	Lens cover, Flip-up, Rear Transparent All 30 mm sights	23	
12228	Lens cover CompM2, CompML2, CompM3, CompML3 with QR	13	

Art. No.	Spare parts/Accessories CET and ACET models cont. Name/Description	IRP EUR/Unit	
0101044 spare	Eyecup All CET and ACET models	9	
10634 spare	Battery cap CompM2, CompML2, CompM3, CompML3 Battery cap with O-ring and rubber sealing	14	
12247	Double battery kit CompM2, CompML2, CompM3, CompML3 Battery cap with O-ring, rubber sealing and rubber strap <i>While supplies last</i>	32	
10379 spare	Rubber strap CompM2, CompML2, CompM3, CompML3	9	
12920	Cap switch CompM2, CompML2, CompM3, CompML3 Cap switch with screws	11	
10636 spare	Cap adjustment screw All CET and ACET models Cap adjustment screw with O-ring	11	

Spare parts/Accessories CompM4 series		IRP
Art. No.	Name/Description	EUR/Unit
12205	Lens cover CompM4	16
		
12221	Battery cap CompM4 Battery cap and strap	19
		
12306	Cap adjustment screw CompM4 Cap adjustment screw and strap	11
		

Art. No.	Spare parts/Accessories Micro series Name/Description	IRP EUR/Unit	
12204	Lens cover All Micro models	16	
12102 spare	Battery cap Micro T-1 Battery cap with damper and O-ring	19	
12208 spare	Cap adjustment screw All Micro models Cap adjustment screw with O-ring	16	
12209	Shaft and bar locking Micro T-1 and H-1	19	
11866 spare	Screw, M3, 4 pieces All Micro models	6	
12207	Micro tool Universal tool for mounting on weapons, zeroing and opening battery compartement.	11	